Petrographic analysis of Gharta mineralization

Maia Apkhazava

maia.apkhazava@tsu.ge

Department of Geology, Faculty of Exact and Natural Sciences, Ivane Javakhishvili Tbilisi State University University st. N13

Annotation

50 samples of thin section were studied from 20 wells of the Gharta mineralization. The studied material includes both unaltered and hydrothermally altered rocks. Also, 20 thin sections of surface sampled rocks near the Gharta ore deposit were studied.

Based on the microscopic identification of the rocks, the connection between rock and mineralization is established.

References

1. Adams A.E., Mackenzie W.s., Guilford C., Atlas Of Sedimentary Rocks Under The Microscope, 1988;

2. Gifkins C., Herrman W., Large R., Altered Volcanic Rocks A guide to description and interpretation, 2005;

3. Mackenzie W.S., Guilford C., Atlas Of Rock-Forming Minerals In Thin Section, 1980;

4. Roger Taylor, Ore Textures Recognition And Interpretation, 2009.;

5. Robert, F., Poulsen, K.H., and Dubé, B., Gold Deposits and Their Geological Classification;

6. D.I. Groves., R.J. Goldfarb., M. Gebre-Mariam., S.G. Hagemann., F. Robert, Orogenic gold deposits: A proposed classification in the context of their crustal distribution and relationship to other gold deposit types.